

# SAFETY DATA SHEET

PRODUCT NAME KEM AQUA Titrant TR-5

Data of issue 6/11/2018

Date of revision

1/4/2024

(Confirmation)

## 1. Identification of the substance or mixture and the supplier

Product name KEM AQUA Titrant TR-5

SDS No. GHS-0062E

Name of supplier Kyoto Electronics Manufacturing Co., Ltd.

Address 68 Ninodan-cho, Shinden, Kisshoin, Minami-ku, Kyoto, Japan

Division Quality Assurance Department

Phone +81-75-691-4121 Fax +81-75-691-4127

Recommended uses and restrictions on use

Recommended use For analysis

Restrictions on use When using for purposes other than those recommended, consult a specialist.

#### 2. Hazard identification

**GHS** classification

Health hazards

Acute toxicity (Inhalation)

Skin corrosion / Irritation

Category 1

Serious eye damage / Eye irritation

Category 1

Skin sensitization

Category 1

Reproductive toxicity

Category 2

Specific target organ toxicity (single exposure) Category 1(Respiratory organs)

Category 2(respiratory system)

Category 3(Narcotic effects)

Specific target organ toxicity (repeated exposure Category 1(Thyroid gland)

Category 2(Liver, respiratory tract system)

Environmental hazards

Short-terrm (acute) aquatic hazard Category 2

GHS label elements

Hazard pictograms





Signal words

Hazard statements

Danger

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H370 Causes damage to organs (Respiratory organs).

H371 May cause damage to organs (respiratory system).

H372 Causes damage to organs (Thyroid gland) through

prolonged or repeated exposure.

H373 May cause damage to organs (Liver, respiratory tract system) through prolonged or repeated exposure.

H401 Toxic to aquatic life.

Precautionary statement

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

Response



P305 + P351 + P338 + P310 IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Storage P403 + P233 Store in a well-ventilated place. Keep

container tightly closed.

P405 Store locked up.

Disposal P501 Dispose of contents/ container to an approved

waste disposal plant.

Other hazards which do not result in classification

None known.

# 3. Composition/Information on ingredients

substance / mixture

mixture

Components

No.	Chemical name	CAS No.	Concentration	ENCS / ISHL
			(% w/w)	number
1	2-(2-ethoxyethoxy)ethanol	111-90-0	60-70	2-422, 7-97
2	Imidazole	288-32-4	10-20	5-381
3	lodine	7553-56-2	10-20	-
4	Sulfur Dioxide	7446-09-5	1-10	1-536

#### 4. First-aid measures

General advice Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical advice.



skin heal slowly and with difficulty.

If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Continue rinsing eyes during transport to hospital.

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

Remove contact lenses, if present and easy to do. Continue rinsing.

If swallowed Keep respiratory tract clear.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Take victim immediately to hospital.

Most important symptoms May cause an allergic skin reaction.

and effects, both acute and Causes serious eye damage.

delayed Harmful if inhaled.

May cause drowsiness or dizziness.

Suspected of damaging fertility or the unborn child.

May cause damage to organs.

May cause damage to organs through prolonged or repeated exposure.

Causes severe skin burns and eye damage.

# 5. Fire-fighting measures

Suitable extinguishing media Carbon dioxide (CO2)

Dry sand

Regular foam

Vermiculite

Unsuitable extinguishing media High volume water jet

Specific hazards during fire Do not allow run-off from fire fighting to enter drains or water courses.

fighting

Specific extinguishing methods Collect contaminated fire extinguishing water separately. This must not be

discharged into drains.



Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 6. Accidental release measures

Personal precautions, Use personal protective equipment.

protective equipment and Ensure adequate ventilation.

emergency procedures

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

containment and cleaning up binder, sawdust).

Keep in suitable, closed containers for disposal.

# 7. Handling and storage

Handling

Advice on protection against fire and Normal measures for preventive fire protection.

explosion

Advice on safe handling Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application

area.

Provide sufficient air exchange and/or exhaust in work rooms.

To avoid spills during handling keep bottle on a metal tray.

Dispose of rinse water in accordance with local and national regulations.

Persons susceptible to skin sensitization problems or asthma, allergies,

chronic or recurrent respiratory disease should not be employed in any

process in which this mixture is being used.

Avoidance of contact No data available

Hygiene measures When using do not eat or drink.



When using do not smoke.

Wash hands before breaks and at the end of workday.

Storage

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept

upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must comply with the

technological safety standards.

Further information on storage

stability

No decomposition if stored and applied as directed.

# 8. Exposure controls/Personal protection

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type	Control parameters /	Basis	
		(Form of	Reference concentration /		
		exposure)	Permissible concentration		
iodine	7553-56-2	OEL-M	0.1ppm	JP OEL	
			1mg/m <sup>3</sup>	JSOH	
	Further information: Skin sensitizing agent; Group 2 substances which probably				
	induce allergic reactions in humans.				
		OEL-M	1ppm	JP OEL	
			1mg/m <sup>3</sup>	JSOH	
	Further information: Skin sensitizing agent; Group 2 substances which probably				
	induce allergic reactions in humans.				
		TWA(Inhalable	0.01ppm	ACGIH	
		fraction and			
		vapor)			
		STEL(Vapor)	0.1ppm	ACGIH	
		TWA(Inhalable	1ppm	ACGIH	
		fraction and			
		vapor)			
		STEL(Vapor)	1ppm	ACGIH	
sulphur dioxide	7446-09-5	STEL	0.25pm	ACGIH	

Personal protective equipment

Respiratory protection Suitable respiratory equipment

Hand protection material Protective gloves



The suitability for a specific workplace should be discussed with the producers of

the protective gloves.

Eye protection Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing problems.

# 9. Physical and chemical properties

Physical state Liquid.

Color Dark brown
Odor Pungent

Melting point / Freezing point No data available
Initial boiling point and boiling range No data available
Flammability (liquids) No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Upper flammability limit No data available Lower explosion limit / Lower flammability limit No data available

Flash point 112℃ (Cleveland open cup)

Decomposition temperature

PH

No data available

No data available

Autoignition temperature

No data available

Self-Accelerating decomposition temperature

No data available

(SADT)

Viscosity

Viscosity, kinematic 11.065mm<sup>2</sup>/s

Solubility(ies)

Water solubility completely soluble
Solubility in other solvents No data available
Partition coefficient: n-octanol/water No data available
Vapor pressure No data available

Density and / or relative density Relative density 1.06 (20℃)

Density No data available
Relative vapor density No data available
Particle characteristics Particle size No data available

# 10. Stability and reactivity



Reactivity

No decomposition if stored and applied as directed.

Chemical stability

No decomposition if stored and applied as directed.

Possibility of hazardous reactions

No decomposition if stored and applied as directed.

Conditions to avoid No data available

Incompatible materials No data available

# 11. Toxicological information

Acute toxicity Harmful if inhaled.

Product

Acute oral toxicity Acute toxicity estimate >2,000 mg/kg (Calculation method)

Acute inhalation toxicity Acute toxicity estimate 12,500 ppm (Calculation method), Exposure time 4 h,

Test atmosphere gas

Acute dermal toxicity Acute toxicity estimate >2,000 mg/kg (Calculation method)

2-(2-ethoxyethoxy)ethanol

Acute oral toxicity LD50 (Rat) 5,540mg/kg

Acute inhalation toxicity LC50 (Rat) >1.39mg/L, Exposure time 4 h, Test atmosphere dust / mist

Acute dermal toxicity LD50 (Rabbit) 8,500 mg/kg

imidazole

Acute oral toxicity LD50 (Rat) 960mg/kg

iodine

Acute oral toxicity LD50 (Rat) 14,000mg/kg

Acute inhalation toxicity LC50 (Rat) >4.588mg/L, Exposure time 4 h, Test atmosphere dust / mist

LCLo (Rat) 800mg/m³, Exposure time 1h, Test atmosphere vapor

Acute dermal toxicity LD50 (Rabbit) 1,450 mg/kg

sulphur dioxide

Acute inhalation toxicity LC50 (Rat) 593 - 1319ppm, Exposure time 4 h, Test atmosphere gas

Skin corrosion/irritation Causes severe skin burns and eye damage.

Product Extremely corrosive and destructive to tissue.

imidazole Corrosive after 4 hours or less of exposure

iodine Skin irritation

Serious eye damage/eye irritation Causes serious eye damage.

Product May cause irreversible eye damage.

2-(2-ethoxyethoxy)ethanol Causes eye irritation.

imidazole Causes serious eye damage.iodine Causes serious eye irritation.sulphur dioxide Causes serious eye irritation.

Respiratory or skin sensitization



Skin sensitization May cause an allergic skin reaction.

Respiratory sensitization Not classified based on available information.

Product Causes sensitization.

iodine Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

imidazole Suspected human reproductive toxicant iodine Suspected human reproductive toxicant

STOT-single exposure May cause drowsiness or dizziness.

Causes damage to organs (Respiratory organs).

May cause damage to organs (respiratory system).

2-(2-ethoxyethoxy)ethanol The substance or mixture is classified as specific target organ toxicant, single

exposure, category 3 with narcotic effects.

iodine Target Organs Respiratory organs

The substance or mixture is classified as specific target organ toxicant, single

exposure, category 1.

sulphur dioxide Target Organs Respiratory organs

The substance or mixture is classified as specific target organ toxicant, single

exposure, category 1.

STOT-repeated exposure Causes damage to organs (Thyroid gland) through prolonged or repeated

exposure.

May cause damage to organs (Liver, respiratory tract system) through prolonged

or repeated exposure.

imidazole Target Organs Liver

The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 2.

iodine Target Organs Thyroid

The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 1.

sulphur dioxide Target Organs Respiratory organs

The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 1.

Aspiration toxicity Not classified based on available information.

Remarks Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic

effects.



#### Solvents may degrease the skin.

# 12. Ecological information

**Ecotoxicity** 

2-(2-ethoxyethoxy)ethanol

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)) 9,650 mg/L, Exposure time 96 h

Toxicity to daphnia and EC50 (Daphnia magna (Water flea)) 3,340 mg/L, Exposure time 48 h

other aquatic invertebrates

Imidazole

Toxicity to daphnia and EC50 (Daphnia magna (Water flea)) 341.5 mg/L, Exposure time 48 h

other aquatic invertebrates

Toxicity to algae/aquatic EC50 (Desmodesmus subspicatus (green algae)) 133 mg/L, End point Growth

plants inhibition, Exposure time 72 h

EC50 (Desmodesmus subspicatus (green algae)) 25 mg/L, End point Growth

inhibition, Exposure time 72 h

iodine

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.53 mg/L, Exposure time 96 h

Toxicity to daphnia and EC50 (Daphnia magna (Water flea)) 0.16 mg/L, Exposure time 48 h

other aquatic invertebrates

M-Factor (Acute aquatic 1

toxicity)

Persistence and degradability

2-(2-ethoxyethoxy)ethanol rapidly biodegradable

imidazole rapidly biodegradable, Biodegradation 98%, Exposure time 18d (OECD Test Guideline

301A)

Bioaccumulative potential

2-(2-ethoxyethoxy)ethanol Partition coefficient: n-octanol/water log Pow = - 0.54

imidazole Bioconcentration factor (BCF) 3.16

Partition coefficient: n-octanol/water log Pow = - 0.02 (25°C)

iodine Partition coefficient: n-octanol/water log Pow = - 2.49

Mobility in soil No data available
Hazardous to the ozone Not applicable

layer

disposal. Toxic to aquatic life.



# 13. Disposal considerations

Waste from The product should not be allowed to enter drains, water courses or the soil.

residues Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated Empty remaining contents.

packaging Dispose of as unused product.

Do not re-use empty containers.

# 14. Transport information

International Regulations

IATA-DGR

UN / ID No. UN1760

Proper shipping name Corrosive liquid, n.o.s. (Imidazole, solution)

Class

Packing group

Corrosive Labels

Packing instruction (cargo aircraft) 855 851

Packing instruction (passenger

aircraft)

IMDG-Code

UN No. UN1760

Proper shipping name CORROSIVE LIQUID, N.O.S. (Imidazole, solution)

8 Class  $\Pi$ Packing group Labels

EmS Code F-A, S-B

Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation Please refer to the law and local regulations, etc. in each country

Special precautions for user The transport classification(s) provided herein are for informational

> purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and

variations in regional or country regulations.



# 15. Regulatory information

#### 16. Other information

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV)

JP OEL JSOH Japan Society for Occupational Health. Recommendation of

Occupational Exposure Limits

ACGIH/TWA 8-hour, time-weighted average

ACGIH/STEL Short-term exposure limit

JP OEL JSOH / OEL-M Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM -Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI -Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System.



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.